




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>G06F 15/16</b>		A1	(11) International Publication Number: <b>WO 00/33203</b>
			(43) International Publication Date: 8 June 2000 (08.06.00)
(21) International Application Number: PCT/US99/28041 (22) International Filing Date: 24 November 1999 (24.11.99)  (30) Priority Data: 60/109,934          25 November 1998 (25.11.98)    US 09/448,365          23 November 1999 (23.11.99)    US  (71)(72) Applicant and Inventor: FLYNN, Francis, H. [US/US]; 14 Wave Crest Drive, Islip, NY 11751 (US).  (72) Inventor: FORAN, Jeffrey; Apartment 1, 1127 Commonwealth Avenue, Allston, MA 02134 (US).  (74) Agent: DAY, Sharon, L.; 9 Pleasant Street, Sharon, MA 02067 (US).			(81) Designated States: CA, JP, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).  <b>Published</b> <i>With international search report.</i>

(54) Title: AN ELECTRONIC COMMUNICATION DELIVERY CONFIRMATION AND VERIFICATION SYSTEM

## (57) Abstract

The present invention provides a system (20) and a method for a user (10) to verify receipt of an electronic communication such as an email message by an intended recipient (30). Instead of forwarding the email to the intended recipient(s), (e.g. as a normal SMTP server might,) the invention sends a notification message of a posted email to the intended recipient(s) (4). The email and attachments are each saved at a unique call address on a server such as for example a web server (24). At least one unique address is provided for each of the intended recipients that points to the location of the contents of the original email. When attachments accompany the email, each attachment is also assigned an address that is unique for each intended recipient. The intended recipient is notified of the call addresses for collecting the email and attachments. When the recipient downloads or collects the email and attachments from their respective addresses, the invention detects information regarding the downloaded email and notifies the sender (10) that the email was retrieved. This information may be stored in a back-end database for ease of access and management.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

AN ELECTRONIC COMMUNICATION DELIVERY CONFIRMATION AND  
VERIFICATION SYSTEM

5

RELATED APPLICATION

This application claims the benefit of U.S. Provisional Patent Application 60/109,934 filed November 25, 1998, entitled "An Electronic Communication  
10 Delivery Verification System", the content of which is incorporated herein by reference in its entirety.

FIELD OF THE INVENTION

This invention relates generally to electronic communications and, more  
15 particularly, to a method by which a sender of an electronic communication can validate receipt of an electronic communication by an intended receiver.

BACKGROUND OF INVENTION

Electronic communication, such as for example e-mail, is a form of written data,  
20 a data-string, that is transported electronically such as on the Internet. Specific protocols governing certain aspects of the way one machine electronically passes information in the form of data-strings to another machine have been established to facilitate communication between different brands of machines running different software. Various protocols have been developed to standardize the methods by  
25 which data are transported from one computer to another computer such as on Local Area Networks (LAN), Wide Area Networks (WAN), and the Internet. This standardization was developed to allow computers and computer programs from differing commercial sources to be as compatible as possible.

The Internet Protocol (IP) that directs or routes a data-string from one computer  
30 to another is what is called a best efforts protocol, a method that involves a series of computer instructions that attempts to deliver a data-string to its intended location, but that does not guarantee its delivery. This means that the data-string can get lost

or damaged before reaching the intended recipient. The Transmission Control Protocol (TCP) works in conjunction with IP in an attempt to ensure that the data-string is sent error-free, complete, and in the proper sequence. However, it does not insure correct delivery. The Simple Mail Transfer Protocol (SMTP) provides for  
5 standardized error messages to be issued when a fault occurs in transmission. Standardized status codes (such as described in Kleinsin, et al; Network Working Group Request for Comments: 1869; STD: 10; Obsoletes: 1651; Category: Standards Track; November, 1995) provide information for generating error messages that indicate whether or not a computer in the net or network of computers  
10 used to pass the data-string has been unable to do so. Such an Error message is exemplified by:

"----The following addresses had delivery problems ----

<nosuchuser@dbc.mtview.ca.us>

(Mailbox "nosuchuser" does not exist)"

15 When delivery occurs a message such as " ---Mail was successfully relayed to the following addresses---" may be provided. However, no information is provided through the use of these protocols via the respective protocol server regarding whether the intended recipient has retrieved the email and/or the attachments.

Business people and others need to verify that an important transaction once sent  
20 has been received by the intended recipient. The main obstacle to widespread commercial use of electronic communications, such as for example email and email attachments, is the lack of the ability to verify that the email and/or attachment was received by the intended recipient. Email must be sent on unsecured pathways, pathways where the email can be mis-directed, lost, and/or altered. It is highly  
25 desirable to the sender to be able to verify that the intended recipient has received an important email. It is also desirable to the sender to know that the intended information in an electronic message was received as written or sent.

#### SUMMARY OF INVENTION

30 The present invention comprises a software application for use with a computer that is part of or has access to an electronic network including at least one other

computer and a method for use of the software application that provides a sender of an electronic communication such as an email, a receipt for verification of delivery of the electronic communication by a recipient. The sender may use a conventional email program or the present invention to compose the email. The email

5 ("electronic mail") may have graphics and/or attachments, each of which is termed a data-string herein. Unlike a conventional email program, each data-string is directed to a unique electronic address, such as for example an IP (Internet Protocol) address or hostname, on a computer that is independent of the recipient's computer. Only a notification that an email or an email plus an attachment is awaiting retrieval is sent

10 to the recipient and appears at their computer. The notification provides the recipient with the unique electronic retrieval location(s), such as a unique IP address for an email message or two unique email addresses for an email accompanied by an attachment, located on a mail server to which the recipient can direct their computer using software to retrieve the data-string(s). Each recipient is provided with a unique

15 address to retrieve their email even when the recipient is merely receiving a copy of an email that has been broadcast to a number of recipients. In one embodiment, a computer having access to the Internet is used as the mail server. In an alternate embodiment, the mail server is located on a LAN (local area network) such as for example for use for infra-office email within a business. Upon retrieval of the data-

20 string, the sender is notified electronically via email and information regarding the retrieval transaction is stored in a back-end database.

For example, when the data-string is sent via the Internet, the user who is the sender composes an email message and attaches any text or images as required. Once the message is composed and sent, the present invention parses that data-string

25 while determining the appropriate recipients. The parsed data-string is placed on the World Wide Web (also termed the Web or the Internet or the Net) by waiting until at least one appropriate data-string transfer and retrieval means, such as for example a HyperText Transport Protocol (http) call, provides an available address at a port of a computer the present invention is monitoring. More addresses will be needed to

30 match data-string to address when, for example, a single email data-string is being communicated to a number of different recipients. There is exactly one unique

address that will access the data-string for each specific recipient targeted to receive the data-string unless the data-string has more than one component such as a plurality of attachments. Concurrent with posting the sender's data-string on a computer connected to a network of computers such as the Web, the present invention sends out a notice via email that the recipient has a posted data-string or email awaiting retrieval. This message is simply a notice of the availability of the electronic communication and provides an electronic address such as a Uniform Resource Locator (URL) pointer to where the email is posted on the Web. One URL points to a single location that is uniquely assigned for each component of the data-string for each recipient using the present invention. Alternatively, the posted email may have a URL that allows it to call for its accompanying attachment ie. the email and its accompanying documents may be electronically interlinked.

When the recipient of the email message links to a data-string via the URL pointer, the present invention identifies the recipient by their unique IP address or hostname. As the recipient retrieves their posted email message and attachments, the present invention notifies the sender that the posted electronic communication has been retrieved by a person at the IP address corresponding to that of the intended recipient. This notice includes the recipient's unique IP address or hostname and a time, date stamp indicative of when the posted electronic communication was retrieved. A copy of the posted electronic communication may also be included in the notice.

An embodiment of an inventive method for verifying receipt of an electronic communication at an intended electronic address is provided by the following example comprising the steps of:

1. Sending an electronic communication comprising a data-string.
2. Posting that data-string to a unique URL on a computer connected to the Web for each unique data-string.
3. Notifying the recipient at a recipient IP address via email that they have an electronic communication awaiting retrieval at a specified unique Web URL address.

4. Validating the retrieval of the sender's electronic communication by a recipient at an intended IP address by recognizing the recipient's IP address or hostname when they electronically request delivery of their electronic communication.

- 5 5. Notifying the sender when the IP address or hostname match the intended IP address or hostname that the electronic communication has been retrieved and optionally passing the validating information into a back-end database.

The invention has four distinct interfaces with users: two sender interfaces and two recipient interfaces. The first sender interface is an outgoing message interface  
10 that is implemented to communicate with any SMTP client having an outgoing server that is configurable to a given IP address or hostname. This interface is not limited to what is generally considered client type programs such as for example email programs such as Eudora<sup>®</sup>. The invention could interface at the first sender interface with any large server that delivers email using SMTP where the outgoing  
15 delivery IP address is capable of being configured. The first recipient interface is implemented to accommodate use with any system or application that handles delivery of electronic messages to a given recipient. This includes all POP clients, all Web-based email clients as well as any test-based email delivery and retrieval systems. The second part of the recipient interface is the data-string retrieval  
20 interface. This interface is implemented to communicate only via http (with any http browser in the embodiments described. However, the recipient interface can be implemented to accommodate any data-string retrieval mechanism. The second sender interface is the incoming interface that notifies the sender when the data-string is retrieved. In one embodiment, it is implemented as an email delivery  
25 notification and works with any system that handles delivery of email to a given recipient. This includes all POP clients, all Web based clients, as well as any text-based email retrieval systems.

In one embodiment, the present invention communicates (also termed "interfaces") with an electronic communications program, such as for example email  
30 programs Eudora<sup>®</sup>, First Class Client<sup>®</sup>, and Hot Mail<sup>®</sup>. It can be used for electronic communication on the Internet or an Intranet, within a Local Area Network (LAN)

or a Wide Area Network (WAN) environment. The invention provides a plurality of fields for data in the back-end database. Full search, browse, edit, and contact management functions are included in order to provide complete access to the stored data. Remote access functions may be configured. Thus, verification,  
5 authentication, and ease of data management are provided. Advantageously, the flow of electronic communications such as email can be controlled and documented.

#### BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 provides a block diagram of the system and method by which an  
10 electronic communication in the form of data can be routed by a sender to a specific receiver and by which the sender can be notified of the receipt of the electronic communication by the specific receiver.

Figure 2 provides a flow chart of the pathway and components used to transmit and verify an electronic communication.

15

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

The present invention provides a system and method for confirmation of receipt of an electronic communication by an IP address or hostname accessible recipient ("the recipient"). The invention is a software application that allows the sender of  
20 an electronic communication to use the electronic communication program of their choice, such as for example an email program like Eudora<sup>®</sup>, to generate a specific data-string or message, send it to a specific recipient, and verify that the specific recipient received the data-string. Optionally, the application may provide a copy of the retrieved data-string so that the sender can determine if the data-string was  
25 received as sent, unaltered. Transmission of electronic information involves passing data in the form of a data-string from one computer to another through the use of computer programs that convert user instructions into instructions that a computer can understand. The data-string is then passed through electronic means, such as for example by telephone wires or cables, from one computer to another computer.  
30 These computers form a network of computers that is variously referenced as a "Net" or "Web".



The invention has four distinct interfaces with users: two sender interfaces and two recipient interfaces. The first sender interface is an outgoing message interface that is implemented to communicate with any SMTP client having an outgoing server that is configurable to a given IP address or hostname. This interface is not limited to what is generally considered client type programs such as for example email programs such as Eudora<sup>R</sup>. The invention could interface at the first sender interface with any large server that delivers email using SMTP where the outgoing delivery IP address is capable of being configured. The first recipient interface is implemented to accommodate use with any system or application that handles delivery of electronic messages to a given recipient. This includes all POP clients, all Web-based email clients as well as any text-based email delivery and retrieval systems. The second part of the recipient interface is the data-string retrieval interface. This interface is implemented to communicate only via http (with any http browser in the embodiments described). However, the recipient interface can be implemented to accommodate any data-string retrieval mechanism. The second sender interface is the incoming interface that notifies the sender when the data-string is retrieved. In one embodiment, it is implemented as an email delivery notification and works with any system that handles delivery of email to a given recipient. This includes all POP clients, all Web based clients, as well as any text-based email retrieval systems.

Referring now to FIG. 1 which illustrates a first embodiment of the present invention, when an electronic communication sender is distanced from a recipient and the Internet is used to send the electronic communication, a sender illustrated by box "Sender" 100 enters information 1, such as for example an email message and an attachment to that email message, into a computer via the desired electronic communications program that has been loaded on that sender's machine. A message data-string is generated. This message data-string is then processed by the present invention which has been loaded on the sender's machine as follows. The message data-string is parsed into an html-readable file 2 and electronically sent via a user interface 21 to a file handler 22 where the message data-string is stored at a unique http call address 12 assigned to each of the intended recipients. Assignment of the

unique http call address(es) is determined by the present invention which monitors a port for incoming TCP connections. In one embodiment, if the electronic communication was an email that included an attachment, then a unique address is assigned to each of the parsed original email message and original attachment html-readable files. Concurrently upon receiving a file for storage, the file handler also generates a unique data-string for each stored file that is a notification message 4 that is delivered to each unique recipient 300. This notification data-string informs each recipient that one unique message data-string has been stored for them at the indicated unique http call address. This notification data-string is sent via a Web Server 24 to the intended unique recipient, represented by box "recipient" 300.

The notification data-string may have additional information added to it prior to its delivery to the recipient. For example, the electronic communication sender's name and/or email address may be added. Or, an advertisement may be added to the notification message data-string.

The notification message data-string is then sent to the recipient's Post Office Protocol (POP) server and is read by the recipient at the notified IP address or hostname address indicated by the notification message when they open their email application. If the recipient wishes to read the posted electronic communication 5, the recipient enters the unique http call address that has been sent in the notification message data-string and retrieves the unique message data-string 7 from the Web Server 24, if the recipient has entered the correct http call address. Both an email and its associated attachment(s) can be provided with unique call addresses or the email and its attachment(s) can be linked so that the entire communication is available using one call address 12. In a first embodiment for each stored message data-string retrieved, be it email or attachment, the Web server sends a notification of receipt message 8 that informs the sender that the message data-string was retrieved by the recipient at the address receiving the notification of available email and http call address. This notification of receipt message is electronically transmitted to the sender at approximately the same time that the recipient is sent (retrieves) the stored message data-string. The notification of receipt message is sent 9 via the file handler and the email sender to the IP or hostname address 10 of

the sender ("original sender") and includes information concerning the downloading of the message data-string by the recipient, such as for example, the time it was first downloaded (time and date stamp), the address to which it was sent at downloading, and other relevant information. A compressed copy of the message received by the recipient may also be provided to the sender.

If the original electronic communication comprises an email and an attachment, then in one embodiment, the recipient is notified that an electronic communication is located at http call address 1 (the email) and at http call address 2 (the attachment). The recipient retrieves the electronic communications at each address and notification of each separate retrieval is provided to the sender as described above. Alternatively, the notification message may contain a link to the address for the email and to the address for the attachment. Notification of receipt may then be sent as each data-string is retrieved or notification of receipt may be sent only once when all associated electronic communications have been retrieved.

Figure 2 provides an embodiment of a method of confirming that an electronic communication was received by a recipient. This embodiment exemplifies electronic communication verification when using the Internet to transport the electronic communication. Referring now to FIG. 2, a flowchart of the steps used to provide verification to a sender that receipt of a electronic communication by a recipient has occurred is provided. The sender installs the software, the inventive computer program for generating electronic mail receipts, on their computer and electronically moves through a set-up interface. The sender generates an electronic communication such as an email. The sender enters the email address of the intended recipient or recipients thus providing an addressed packet of information or a message data-string which includes the address of the intended recipient that is unique for each intended recipient. The message data-string is converted to html-readable language and passed to a file handler via a user interface. The message data-string is stored while the present invention locates one unoccupied call address, such as for example an http call address, if the message data-string is going to only one recipient. Otherwise, the instant invention recognizes that a plurality of unique call address are required and establishes one

unique call address for storage of each copy of the email sent to the plurality of intended recipients. In the simplest case where there is one recipient, the message data-string is then posted to this unique unoccupied call address which is on a Web server. Concurrently, a notice that the recipient has email from the sender on the

5 Web server at the call address at which the message data-string is located is sent to the recipient's Post Office Protocol (POP) server, notifying the recipient that they have an electronic communication. The recipient requests the message data-string located at the provided unique call address and it is sent to the recipient, who downloads it, opening it. Upon downloading of the message data-string, the present

10 invention generates a notice of receipt that is forwarded to the original sender. The notice of receipt forwarded to the sender at the sender's POP server includes information concerning the collection of the email by the recipient such as for example the address to which the email was downloaded, the time it was downloaded, and optionally, a compressed copy of the original message. When the

15 sender enters their POP server, they receive the notification of receipt by the recipient.

When attachments accompany an email, each of the attachments and the email itself is provided with a unique call address. Each is collected separately by the intended recipient. The intended recipient may be notified of each separately or the

20 intended recipient may be directed to the email call address which then provides the recipient with the unique call addresses of each of the attachments.

Notification of receipt of the email and attachments can be achieved in a variety of ways and may vary depending upon the number of recipients and the number of attachments sent. Notification can be sent as each unique recipient accesses each

25 unique call address. Or, notification may be sent to the sender when the recipient has collected the email and all of its associated attachments. Or, where a plurality of recipients have been sent the same email, the sender may be notified only after all the recipients have retrieved their copies of the email. Preferably, in the notification of receipt, a copy of the electronic message as received by the recipient is included.

30 This message may then be compared with the message sent to verify that the

message was not garbled during transmission. Other options will be apparent to those skilled in the art.

The present invention also may be inactivated without having to remove the software application off the computer hard disc. The instant software application is  
5 provided with the following switches: Override, Always On, and Switch. Override allows the user to substantially turn off the software application thus deactivating notification of receipt. "Always On" allows the user to send electronic communication which provides notification of receipt whenever the electronic communication is accessed. Switch provides a subroutine that reads the electronic  
10 communication before its is sent by the sender to determine if a receipt is being requested.

Modifications and variations can be made to the disclosed embodiments without departing from the subject and spirit of the invention as defined in the following claims. Such modifications and variations, as included within the scope of these  
15 claims, are meant to be considered part of the invention as described.

What is claimed is:

## CLAIMS


- 5 1. A system for verifying receipt by an intended recipient of an electronic message generated by a sender comprising:  
means for assigning an unoccupied electronic address to the electronic message thereby creating an http call address for the electronic message;  
10 means for storing the electronic message at said http call address;  
means for notifying the intended recipient of said http call address;  
means for retrieving by the intended recipient the electronic message from said http call address; and  
15 means for notifying the sender when the intended recipient retrieves the electronic message from said http call address.
2. The system of claim 1 wherein the means for storing is a Web server.
3. The system of claim 1 wherein the means for storage is an Intranet server.
4. A method for verifying receipt at a recipient electronic address of an electronic communication generated by a sender on a computer, said method  
20 comprising the following steps:  
sending the electronic communication comprising a data-string having the recipient electronic address;  
posting said data-string having said electronic address to a unique call address;  
25 providing the recipient electronic address with access to said unique call address;  
receiving at said call address an electronic request sent from the recipient electronic address to electronically forward said data-string to the recipient electronic address;  
30 sending said electronic communication to the recipient electronic address;  
and

sending an electronic notification consisting of data, said data comprising said call address and the recipient electronic address to the sender when said electronic communication is forwarded from said call address to the recipient electronic address.

- 5 5. The method of claim 4 further including the step of posting said data in a back-end database.
6. The method of claim 4 further comprising the step of: before forwarding said electronic communication to the recipient electronic address, comparing the recipient electronic address in said request with said electronic address  
10 provided in said datastring and proceeding with sending when said electronic address in said request matches said electronic address in said data-string.
7. A system for confirming receipt at a recipient defined call address by a recipient of an electronic message generated by a sender comprising:  
15 means for assigning an unoccupied electronic address to the electronic message thereby creating a storage call address for the electronic message;  
means for locating the electronic message at said storage call address;  
means for notifying the recipient at the recipient defined call address of said storage call address;  
20 means for retrieving the electronic message located at said storage call address; and  
means for notifying the sender when the recipient retrieves the electronic message from said call address.
8. The system of claim 7 wherein said means for notifying comprises an  
25 electronic time/date stamp and means for providing the call address of the recipient.
9. The system of claim 8 wherein said means further includes a copy of the electronic message.

1/2


FIGURE 1





2/2

FIGURE 2



# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US99/28041

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : G06F 15/16

US CL : 709/206, 250

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 709/206, 250

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

MOSHER, MICROSOFT EXCHANGE USER'S HANDBOOK

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

CAS ONLINE search terms: e-mail notification, e-card

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5,675,733 (WILLIAMS) 07 October 1997, col. 2, lines 4-8.	1-3, 7-9
Y,E	US 6,018,774 (MAYLE et al.) 25 January 2000, col. 4, lines 37-49, col. 12, lines 37-59.	1-3, 7-9
Y	MOSHER, SUE. Microsoft Exchange User's Handbook. Duke Press, 1997. pages 220, 266.	1-3, 7-9
A,P	US 5,850,520 (GRIEBENOW et al.) 15 December 1998, col. 6, lines 3-8.	1-9
Y,P	US 5,903,723 (BECK et al.) 11 May 1999, col. 5, lines 17-67.	1-3, 7-9

☒ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*E* earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A* document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means	
*P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

11 FEBRUARY 2000

Date of mailing of the international search report

07 MAR 2000

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer  
*[Signature]*  
GLENTON BURGESS

Telephone No. (703) 305-4792

# INTERNATIONAL SEARCH REPORT

international application No.  
PCT/US99/28041

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
O	BLUE MOUNTAIN ARTS. Frequently Asked Questions <a href="http://www.bluemountain.com/help/FAQ2.html">www.bluemountain.com/help/FAQ2.html</a> . 1996.	1-9